RProtoBuf : Unit testing results

Romain François   Dirk Eddelbuettel   Murray Stokely

RProtoBuf version 0.4.1 as of March 25, 2014

Test Execution

```
Executing test function test.FieldDescriptor.class  ...  done successfully.
```

```
Executing test function test.ascii  ...  done successfully.
```

```
Executing test function test.fileDescriptor  ...  done successfully.
```

```
Executing test function test.personOne  ...  done successfully.
```

```
Executing test function test.size  ...  done successfully.
```

```
Executing test function test.bool  ...  done successfully.
```

```
Executing test function test.all  ...  done successfully.
```

```
Executing test function test.enums  ... Timing stopped at: 0 0 0.003
 done successfully.
```

```
Executing test function test.extension  ...  done successfully.
```

```
Executing test function test.uint32  ...  done successfully.
```

```
Executing test function test.has  ...  done successfully.
```

```
Executing test function test.import  ...  done successfully.


Executing test function test.invalidAssignments  ...  done successfully.


Executing test function test.readProtoFile  ...  done successfully.


Executing test function test.repeated.bools  ...  done successfully.


Executing test function test.repeatedFields  ...  done successfully.


Executing test function test.assign.in.global  ...  done successfully.


Executing test function test.import  ... /etc/hosts:1:6:Already saw decimal point or exponent; can't hav
/etc/hosts:1:1:Expected top-level statement (e.g. "message").
/etc/hosts:1:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:2:7:Already saw decimal point or exponent; can't have another one.
/etc/hosts:2:9:Already saw decimal point or exponent; can't have another one.
/etc/hosts:4:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:4:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:5:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:5:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:6:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:6:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:7:9:Already saw decimal point or exponent; can't have another one.
/etc/hosts:7:11:Already saw decimal point or exponent; can't have another one.
/etc/hosts:7:97:String literals cannot cross line boundaries.
/etc/hosts:8:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:8:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:9:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:9:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:9:94:String literals cannot cross line boundaries.
/etc/hosts:10:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:10:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:11:9:Already saw decimal point or exponent; can't have another one.
/etc/hosts:11:11:Already saw decimal point or exponent; can't have another one.
/etc/hosts:12:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:12:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:13:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:13:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:14:8:Already saw decimal point or exponent; can't have another one.
```

```
/etc/hosts:14:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:16:9:Already saw decimal point or exponent; can't have another one.
/etc/hosts:16:11:Already saw decimal point or exponent; can't have another one.
/etc/hosts:17:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:17:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:18:9:Already saw decimal point or exponent; can't have another one.
/etc/hosts:18:11:Already saw decimal point or exponent; can't have another one.
/etc/hosts:19:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:19:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:20:9:Already saw decimal point or exponent; can't have another one.
/etc/hosts:20:11:Already saw decimal point or exponent; can't have another one.
/etc/hosts:20:74:Expected top-level statement (e.g. "message").
/etc/hosts:21:9:Already saw decimal point or exponent; can't have another one.
/etc/hosts:21:11:Already saw decimal point or exponent; can't have another one.
/etc/hosts:21:98:String literals cannot cross line boundaries.
/etc/hosts:22:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:22:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:22:98:String literals cannot cross line boundaries.
/etc/hosts:23:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:23:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:23:96:String literals cannot cross line boundaries.
/etc/hosts:24:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:24:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:24:104:String literals cannot cross line boundaries.
/etc/hosts:25:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:25:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:27:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:27:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:28:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:28:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:30:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:30:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:30:27:Hex and octal numbers must be integers.
/etc/hosts:31:7:Already saw decimal point or exponent; can't have another one.
/etc/hosts:31:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:33:27:Already saw decimal point or exponent; can't have another one.
/etc/hosts:33:31:Already saw decimal point or exponent; can't have another one.
/etc/hosts:34:7:Already saw decimal point or exponent; can't have another one.
/etc/hosts:34:11:Already saw decimal point or exponent; can't have another one.
/etc/hosts:35:23:Already saw decimal point or exponent; can't have another one.
/etc/hosts:35:26:Already saw decimal point or exponent; can't have another one.
/etc/hosts:36:6:Already saw decimal point or exponent; can't have another one.
/etc/hosts:36:9:Already saw decimal point or exponent; can't have another one.
/etc/hosts:38:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:38:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:39:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:39:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:40:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:40:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:41:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:41:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:42:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:42:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:43:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:43:10:Already saw decimal point or exponent; can't have another one.
```

```
/etc/hosts:44:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:44:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:45:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:45:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:46:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:46:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:47:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:47:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:48:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:48:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:49:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:49:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:50:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:50:10:Already saw decimal point or exponent; can't have another one.
/etc/hosts:51:8:Already saw decimal point or exponent; can't have another one.
/etc/hosts:51:10:Already saw decimal point or exponent; can't have another one.
 done successfully.


Executing test function test.int32  ...  done successfully.


Executing test function test.int64  ...  done successfully.


Executing test function test.message  ...  done successfully.


Executing test function test.nested  ...  done successfully.


Executing test function test.arrayinputstream  ...  done successfully.


Executing test function test.encoding  ...  done successfully.


Executing test function test.serialize  ...  done successfully.


Executing test function test.serialize_pb  ...  done successfully.

unit test problems: 1 errors
```

Test Results

```
RUNIT TEST PROTOCOL -- Tue Mar 25 12:43:08 2014
```

```
*************************************************
Number of test functions: 26
Number of errors: 1
Number of failures: 0



1 Test Suite :
RProtoBuf unit testing - 26 test functions, 1 error, 0 failures
ERROR in test.enums: Error in eval(expr, envir, enclos) : not an S4 object



Details
**************************
Test Suite: RProtoBuf unit testing
Test function regexp: ^test.+
Test file regexp: ^runit.+\.[rR]$
Involved directory:
/tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.FieldDescriptor.R
test.FieldDescriptor.class: (23 checks) ... OK (0.01 seconds)
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.addressbook.R
test.ascii: (9 checks) ... OK (0.03 seconds)
test.fileDescriptor: (1 checks) ... OK (0 seconds)
test.personOne: (11 checks) ... OK (0 seconds)
test.size: (3 checks) ... OK (0 seconds)
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.bool.R
test.bool: (7 checks) ... OK (0 seconds)
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.bytes.R
test.all: (10 checks) ... OK (0 seconds)
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.enums.R
test.enums: ERROR !!
Error in eval(expr, envir, enclos) : not an S4 object
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.extensions.R
test.extension: (13 checks) ... OK (0.01 seconds)
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.extremevalues.R
test.uint32: (5 checks) ... OK (0 seconds)
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.golden.message.R
test.has: (4 checks) ... OK (0 seconds)
test.import: (5 checks) ... OK (0 seconds)
test.invalidAssignments: (1 checks) ... OK (0 seconds)
test.readProtoFile: (61 checks) ... OK (0 seconds)
test.repeated.bools: (3 checks) ... OK (0 seconds)
test.repeatedFields: (5 checks) ... OK (0 seconds)
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.import.R
test.assign.in.global: (1 checks) ... OK (0 seconds)
```

```
test.import: (1 checks) ... OK (0 seconds)
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.int32.R
test.int32: (8 checks) ... OK (0 seconds)
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.int64.R
test.int64: (8 checks) ... OK (0.03 seconds)
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.messages.R
test.message: (7 checks) ... OK (0 seconds)
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.nested.R
test.nested: (1000 checks) ... OK (0.29 seconds)
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.serialize.R
test.arrayinputstream: (3 checks) ... OK (0 seconds)
test.encoding: (4 checks) ... OK (0 seconds)
test.serialize: (5 checks) ... OK (0 seconds)
---------------------------
Test file: /tmp/RtmpcnHlYo/Rinst3b86d91d379/RProtoBuf/unitTests/runit.serialize_pb.R
test.serialize_pb: (2 checks) ... OK (0.08 seconds)
```