

Package ‘RaschSampler’

July 21, 2025

Type Package

Title Rasch Sampler

Version 0.8-10

Date 2023-09-25

Imports stats

Depends R (>= 4.0.0)

Description

MCMC based sampling of binary matrices with fixed margins as used in exact Rasch model tests.

License GPL-2

NeedsCompilation yes

Author Patrick Mair [cre, aut],
Reinhold Hatzinger [aut],
Norman D. Verhelst [aut]

Maintainer Patrick Mair <mair@fas.harvard.edu>

Repository CRAN

Date/Publication 2023-09-27 12:10:02 UTC

Contents

RaschSampler-package	2
phi.range	3
rsampler	4
RSctr	5
rsctrl	6
rsextrmat	7
rsextrobj	8
RSmpl	10
rstats	11
summary.RSctr	12
summary.RSmpl	13
xmpl	13

Index **15**

Description

The package implements an MCMC algorithm for sampling of binary matrices with fixed margins complying to the Rasch model. Its stationary distribution is uniform. The algorithm also allows for square matrices with fixed diagonal.

Parameter estimates in the Rasch model only depend on the marginal totals of the data matrix that is used for the estimation. From this it follows that, if the model is valid, all binary matrices with the same marginals as the observed one are equally likely. For any statistic of the data matrix, one can approximate the null distribution, i.e., the distribution if the Rasch model is valid, by taking a random sample from the collection of equally likely data matrices and constructing the observed distribution of the statistic. One can then simply determine the exceedence probability of the statistic in the observed sample, and thus construct a non-parametric test of the Rasch model. The main purpose of this package is the implementation of a methodology to build nonparametric tests for the Rasch model.

In the context of social network theories, where the structure of binary asymmetric relations is studied, for example, person a esteems person b , which corresponds to a 1 in cell (a, b) of the associated adjacency matrix. If one wants to study the distribution of a statistic defined on the adjacency matrix and conditional on the marginal totals, one has to exclude the diagonal cells from consideration, i.e., by keeping the diagonal cells fixed at an arbitrary value. The RaschSampler package has implemented an appropriate option, thus it can be also used for sampling random adjacency matrices with given marginal totals.

Details

The user has to supply a binary input matrix. After defining appropriate control parameters using `rsctrl` the sampling function `rsampler` may be called to obtain an object of class `RSmpl` which contains the generated random matrices in encoded form. After defining an appropriate function to operate on a binary matrix (e.g., calculate a statistic such as `phi.range`) the application of this function to the sampled matrices is performed using `rstats`. Prior to applying the user defined function, `rstats` decodes the matrices packed in the `RSmpl`-object.

The package also defines a utility function `rsextrobj` for extracting certain parts from the `RSmpl`-object resulting in an object of class `RSmplxt`. Both types of objects can be saved and reloaded for later use.

Summary methods are available to print information on these objects, as well as on the control object `RSctr` which is obtained from using `rsctrl` containing the specification for the sampling routine.

Note

The current implementation allows for data matrices up to 4096 rows and 128 columns. This can be changed by setting `nmax` and `kmax` in `RaschSampler.f90` to values which are a power of 2. These values should also be changed in `rserror.R`.

For convenience, we reuse the Fortran code of package version 0.8-1 which circumvents the compiler bug in Linux distributions of GCC 4.3. In case of compilation errors (due to a bug in Linux distributions of GCC 4.3) please use `RaschSampler.f90` from package version 0.8-1 and change `nmax` and `kmax` accordingly (or use GCC 4.4).

Author(s)

Reinhold Hatzinger, Patrick Mair, Norman D. Verhelst

Maintainer: <mair@fas.harvard.edu>

References

Verhelst, N. D. (2008) An Efficient MCMC Algorithm to Sample Binary Matrices with Fixed Marginals. *Psychometrika*, Volume 73, Number 4

Verhelst, N. D., Hatzinger, R., and Mair, P. (2007) The Rasch Sampler. *Journal of Statistical Software*, Vol. 20, Issue 4, Feb 2007

phi.range

Example User Function

Description

Calculates the R_ϕ statistic, i.e., the range of the inter-column correlations (ϕ -coefficients) for a binary matrix.

Usage

```
phi.range(mat)
```

Arguments

`mat` a binary matrix

Value

the range of the inter-column correlations

Examples

```
ctr <- rscntl(burn_in = 10, n_eff = 5, step=10, seed = 123, tfixed = FALSE)
mat <- matrix(sample(c(0,1), 50, replace = TRUE), nr = 10)
rso <- rsampler(mat, ctr)
rso_st <- rstats(rso,phi.range)
print(unlist(rso_st))
```

rsampler

Sampling Binary Matrices

Description

The function implements an MCMC algorithm for sampling of binary matrices with fixed margins complying to the Rasch model. Its stationary distribution is uniform. The algorithm also allows for square matrices with fixed diagonal.

Usage

```
rsampler(inpmat, controls = rsctrl())
```

Arguments

inpmat	A binary (data) matrix with n rows and k columns.
controls	An object of class <code>RSctr</code> . If not specified, the default parameters as returned by function <code>rsctrl</code> are used.

Details

`rsampler` is a wrapper function for a Fortran routine to generate binary random matrices based on an input matrix. On output the generated binary matrices are integer encoded. For further processing of the generated matrices use the function `rstats`.

Value

A list of class `RSmpl` with components

n	number of rows of the input matrix
k	number of columns of the input matrix
inpmat	the input matrix
tfixed	TRUE, if diagonals of <code>inpmat</code> are fixed
burn_in	length of the burn in process
n_eff	number of generated matrices (effective matrices)
step	controls the number number of void matrices generated in the the burn in process and when effective matrices are generated (see note in <code>rsctrl</code>).
seed	starting value for the random number generator
n_tot	number of matrices in <code>outvec</code> , $n_tot = n_eff + 1$
outvec	vector of encoded random matrices
ier	error code

Note

An element of `outvec` is a four byte (or 32 bits) integer. The matrices to be output are stored bitwise (some bits are unused, since a integer is used for every row of a matrix. So the number of integers per row needed equals $(k+31)/32$ (integer division), which is one to four in the present implementation since the number of columns and rows must not exceed 128 and 4096, respectively.

The summary method (`summary.RSmpl`) prints information on the content of the output object.

Author(s)

Reinhold Hatzinger, Norman Verhelst

References

Verhelst, N. D. (2008) An Efficient MCMC Algorithm to Sample Binary Matrices with Fixed Marginals. *Psychometrika*, Volume 73, Number 4

See Also

[rsctrl](#), [rstats](#)

Examples

```
data(xmpl)
ctr<-rsctrl(burn_in=10, n_eff=5, step=10, seed=0, tfixed=FALSE)
res<-rsampler(xmpl,ctr)
summary(res)
```

RSctr

Control Object

Description

The object of class `RSctr` represents the control parameter specification for the sampling function [rsampler](#).

Value

A legitimate `RSctr` object is a list with components

<code>burn_in</code>	the number of matrices to be sampled to come close to a stationary distribution.
<code>n_eff</code>	the number of effective matrices, i.e., the number of matrices to be generated by the sampling function rsampler .
<code>step</code>	controls the number number of void matrices generated in the the burn in process and when effective matrices are generated (see note in rsctrl).
<code>seed</code>	is the indicator for the seed of the random number generator. If the value of <code>seed</code> at equals zero, a seed is generated by the sampling function rsampler

`tfixed` TRUE or FALSE. `tfixed = TRUE` has no effect if the input matrix is not quadratic, i.e., all matrix elements are considered free (unrestricted). If the input matrix is quadratic, and `tfixed = TRUE`, the main diagonal of the matrix is considered as fixed.

Generation

This object is returned from function `rsctrl`.

Methods

This class has a method for the generic summary function.

See Also

[rsctrl](#)

`rsctrl` *Controls for the Sampling Function*

Description

Various parameters that control aspects of the random generation of binary matrices.

Usage

```
rsctrl(burn_in = 100, n_eff = 100, step = 16, seed = 0, tfixed = FALSE)
```

Arguments

<code>burn_in</code>	the number of sampled matrices to come close to a stationary distribution. The default is <code>burn_in = 100</code> . (The actual number is $2 * \text{burn_in} * \text{step}$.)
<code>n_eff</code>	the number of effective matrices, i.e., the number of matrices to be generated by the sampling function <code>rsampler</code> . <code>n_eff</code> must be positive and not larger than 8191 ($2^{13}-1$). The default is <code>n_eff = 100</code> .
<code>step</code>	controls the number number of void matrices generated in the the burn in process and when effective matrices are generated (see note below). The default is <code>step = 16</code> .
<code>seed</code>	is the indicator for the seed of the random number generator. Its value must be in the range 0 and 2147483646 ($2^{31}-2$). If the value of <code>seed</code> equals zero, a seed is generated by the sampling function <code>rsampler</code> (dependent on the system's clock) and its value is returned in the output. If <code>seed</code> is not equal to zero, its value is used as the seed of the random number generator. In that case its value is unaltered at output. The default is <code>seed = 0</code> .
<code>tfixed</code>	logical, – specifies if in case of a quadratic input matrix the diagonal is considered fixed (see note below). The default is <code>tfixed = FALSE</code> .

Value

A list of class `RSctr` with components `burn_in`, `n_eff`, `step`, `seed`, `tfixed`.

Note

If one of the components is incorrectly specified the error function `rserror` is called and some informations are printed. The output object will not be defined.

The specification of `step` controls the sampling algorithm as follows: If, e.g., `burn_in = 10`, `n_eff = 5`, and `step = 2`, then during the burn in period $step * burn_in = 2 * 10$ matrices are generated. After that, $n_eff * step = 5 * 2$ matrices are generated and every second matrix of these last ten is returned from `link{rsampler}`.

`tfixed` has no effect if the input matrix is not quadratic, i.e., all matrix elements are considered free (unrestricted). If the input matrix is quadratic, and `tfixed = TRUE`, the main diagonal of the matrix is considered as fixed. On return from `link{rsampler}` all diagonal elements of the generated matrices are set to zero. This specification applies, e.g., to analyzing square incidence matrices representing binary asymmetric relation in social network theory.

The summary method ([summary.RSctr](#)) prints the current definitions.

See Also

[rsampler](#)

Examples

```
ctr <- rsctrl(n_eff = 1, seed = 987654321) # specify new controls
summary(ctr)

## Not run:
ctr2 <- rsctrl(step = -3, n_eff = 10000) # incorrect specifications

## End(Not run)
```

rsextrmat

Extracting a Matrix

Description

Convenience function to extract a matrix.

Usage

```
rsextrmat(RSobj, mat.no = 1)
```

Arguments

RSobj object as obtained from using `rsampler` or `rsextrobj`
 mat.no number of the matrix to extract from the sample object.

Value

One of the matrices (either the original or a sampled matrix)

See Also

[rsampler](#), [rsextrobj](#), [rstats](#),

Examples

```
ctr <- rsctrl(burn_in = 10, n_eff = 3, step=10, seed = 0, tfixed = FALSE)
mat <- matrix(sample(c(0,1), 50, replace = TRUE), nr = 10)
all_m <- rsampler(mat, ctr)
summary(all_m)

# extract the third sampled matrix (here the fourth)
third_m <- rsextrmat(all_m, 4)
head(third_m)
```

rsextrobj

Extracting Encoded Sample Matrices

Description

Utility function to extract some of the generated matrices, still in encoded form.

Usage

```
rsextrobj(RSobj, start = 1, end = 8192)
```

Arguments

RSobj object as obtained from using `rsampler`
 start number of the matrix to start with. When specifying 1 (the default value) the original input matrix is included in the output object.
 end last matrix to be extracted. If end is not specified, all matrices from RSobj are extracted (the maximal value is 8192, see `rsctrl`). If end is larger than the number of matrices stored in RSobj, end is set to the highest possible value (i.e., `n_tot`).

Value

A list of class `RSmpl` with components

<code>n</code>	number of rows of the input matrix
<code>k</code>	number of columns of the input matrix
<code>inpmat</code>	the input matrix
<code>tfixed</code>	TRUE, if diagonals of <code>inpmat</code> are fixed
<code>burn_in</code>	length of the burn in process
<code>n_eff</code>	number of generated matrices (effective matrices)
<code>step</code>	controls the number number of void matrices generated in the burn in process and when effective matrices are generated (see note in <code>rsctrl</code>).
<code>seed</code>	starting value for the random number generator
<code>n_tot</code>	number of matrices in <code>outvec</code> .
<code>outvec</code>	vector of encoded random matrices
<code>ier</code>	error code

Note

By default, all generated matrices plus the original matrix (in position 1) are contained in `outvec`, thus `n_tot = n_eff + 1`. If the original matrix is not in `outvec` then `n_tot = n_eff`.

For saving and loading objects of class `RSobj` see the example below.

For extracting a decoded (directly usable) matrix use `rsextrmat`.

See Also

[rsampler](#), [rsextrmat](#)

Examples

```
ctr <- rsctrl(burn_in = 10, n_eff = 3, step=10, seed = 0, tfixed = FALSE)
mat <- matrix(sample(c(0,1), 50, replace = TRUE), nr = 10)
all_m <- rsampler(mat, ctr)
summary(all_m)

some_m <- rsextrobj(all_m, 1, 2)
summary(some_m)

## Not run:
save(some_m, file = "some.RSobj")
some_new <- load("some.RSobj")
summary(some_new)

## End(Not run)
```

RSmpl

*Sample Objects***Description**

The objects of class `RSmpl` and `RSmplext` contain the original input matrix, the generated (encoded) random matrices, and some information about the sampling process.

Value

A list of class `RSmpl` or `RSmplext` with components

<code>n</code>	number of rows of the input matrix
<code>k</code>	number of columns of the input matrix
<code>inpmat</code>	the input matrix
<code>tfixed</code>	TRUE, if diagonals of <code>inpmat</code> are fixed
<code>burn_in</code>	length of the burn in process
<code>n_eff</code>	number of generated matrices (effective matrices)
<code>step</code>	controls the number number of void matrices generated in the the burn in process and when effective matrices are generated (see note in rsctrl).
<code>seed</code>	starting value for the random number generator
<code>n_tot</code>	number of matrices in <code>outvec</code> .
<code>outvec</code>	vector of encoded random matrices
<code>ier</code>	error code (see below)

Generation

These classes of objects are returned from `rsampler` and `rsextrobj`.

Methods

Both classes have methods for the generic summary function.

Note

By default, all generated matrices plus the original matrix (in position 1) are contained in `outvec`, thus `n_tot = n_eff + 1`. If the original matrix is not in `outvec` then `n_tot = n_eff`.

If `ier` is 0, no error was detected. Otherwise use the error function `rserror(ier)` to obtain some informations.

For saving and loading objects of class `RSmpl` or `RSmplext` see the example in [rsextrobj](#).

See Also

[rsampler](#), [rsextrobj](#)

Description

This function is used to calculate user defined statistics for the (original and) sampled matrices. A user defined function has to be provided.

Usage

```
rstats(RSobj, userfunc, ...)
```

Arguments

RSobj	object as obtained from using rsampler or rsextrobj
userfunc	a user defined function which performs operations on the (original and) sampled matrices. The first argument in the definition of the user function must be an object of type matrix.
...	further arguments, that are passed to the user function

Value

A list of objects as specified in the user supplied function

Note

The encoded matrices that are contained in the input object RSobj are decoded and passed to the user function in turn. If RSobj is not an object obtained from either [rsampler](#) or [rsextrobj](#) or no user function is specified an error message is printed. A simple user function, [phi.range](#), is included in the RaschSampler package for demonstration purposes.

rstats can be used to obtain the 0/1 values for any of the sampled matrices (see second example below). Please note, that the output from the user function is stored in a list where the number of components corresponds to the number of matrices passed to the user function (see third example).

See Also

[rsampler](#), [rsextrobj](#)

Examples

```
ctr <- rctrl(burn_in = 10, n_eff = 5, step=10, seed = 12345678, tfixed = FALSE)
mat <- matrix(sample(c(0,1), 50, replace = TRUE), nr = 10)
rso <- rsampler(mat, ctr)
rso_st <- rstats(rso,phi.range)
unlist(rso_st)
```

```

# extract the third generated matrix
# (here, the first is the input matrix)
# and decode it into rsmat

rso2 <- rsextroobj(rso,4,4)
summary(rso2)
rsmat <- rstats(rso2, function(x) matrix(x, nr = rso2$n))
print(rsmat[[1]])

# extract only the first r rows of the third generated matrix

mat<-function(x, nr = nr, r = 3){
  m <- matrix(x, nr = nr)
  m[1:r,]
}
rsmat2 <- rstats(rso2, mat, nr=rso2$n, r = 3)
print(rsmat2[[1]])

# apply a user function to the decoded object
print(phi.range(rsmat[[1]]))

```

summary.RSctr

Summary Method for Control Objects

Description

Prints the current definitions for the sampling function.

Usage

```
## S3 method for class 'RSctr'
summary(object, ...)
```

Arguments

object	object of class RSctr as obtained from rsctrl
...	potential further arguments (ignored)

See Also

[rsctrl](#)

Examples

```
ctr <- rsctrl(n_eff = 1, seed = 123123123) # specify controls
summary(ctr)
```

`summary.RSmpl`*Summary Methods for Sample Objects*

Description

Prints a summary list for sample objects of class [RSmpl](#) and [RSmplext](#).

Usage

```
## S3 method for class 'RSmpl'  
summary(object, ...)  
## S3 method for class 'RSmplext'  
summary(object, ...)
```

Arguments

`object` object as obtained from `rsampler` or `rsextrobj`
`...` potential further arguments (ignored)

Details

Describes the status of an sample object.

See Also

[rsampler](#), [rsextrobj](#)

Examples

```
ctr <- rscctrl(burn_in = 10, n_eff = 3, step=10, seed = 0, tfixed = FALSE)  
mat <- matrix(sample(c(0,1), 50, replace = TRUE), nr = 10)  
all_m <- rsampler(mat, ctr)  
summary(all_m)  
  
some_m <- rsextrobj(all_m, 1, 2)  
summary(some_m)
```

`xmpl`*Example Data*

Description

Fictitious data sets - matrices with binary responses

Usage

```
data(xmpl)
```

Format

The format of `xmpl` is:
300 rows (referring to subjects)
30 columns (referring to items)

The format of `xmplbig` is:
4096 rows (referring to subjects)
128 columns (referring to items)
`xmplbig` has the maximum dimensions that the `RaschSampler` package can handle currently.

Examples

```
data(xmpl)
print(head(xmpl))
```

Index

* datasets

xmpl, 13

* misc

phi.range, 3

rsampler, 4

RSctr, 5

rsctrl, 6

rsextrmat, 7

rsextrobj, 8

RSmpl, 10

rstats, 11

summary.RSctr, 12

summary.RSmpl, 13

* package

RaschSampler-package, 2

phi.range, 2, 3, 11

RaschSampler-package, 2

rsampler, 2, 4, 5–11, 13

RSctr, 2, 4, 5, 5

rsctrl, 2, 4–6, 6, 9, 10, 12

rsextrmat, 7, 9

rsextrobj, 2, 8, 8, 10, 11, 13

RSmpl, 2, 4, 9, 10, 13

RSmplext, 2, 13

RSmplext (RSmpl), 10

rstats, 2, 4, 5, 8, 11

summary.RSctr, 7, 12

summary.RSmpl, 5, 13

summary.RSmplext (summary.RSmpl), 13

xmpl, 13

xmplbig (xmpl), 13