

# Package ‘tgstat’

March 20, 2026

**Type** Package

**Title** Amos Tanay's Group High Performance Statistical Utilities

**Version** 2.3.32

**Author** Michael Hoichman [aut],  
Aviezer Lifshitz [aut, cre]

**Maintainer** Aviezer Lifshitz <aviezer.lifshitz@weizmann.ac.il>

**Description** A collection of high performance utilities to compute distance, correlation, auto correlation, clustering and other tasks. Contains graph clustering algorithm described in ``MetaCell: analysis of single-cell RNA-seq data using K-nn graph partitions'' (Yael Baran, Akhiad Bercovich, Arnau Sebe-Pedros, Yaniv Lubling, Amir Giladi, Elad Chomsky, Zohar Meir, Michael Hoichman, Aviezer Lifshitz & Amos Tanay, 2019 <doi:10.1186/s13059-019-1812-2>).

**License** GPL-2

**BugReports** <https://github.com/tanaylab/tgstat/issues>

**URL** <https://tanaylab.github.io/tgstat/>

**Depends** R (>= 3.5.0)

**Imports** utils

**Suggests** knitr, rmarkdown, testthat (>= 3.0.0)

**VignetteBuilder** knitr

**Encoding** UTF-8

**LazyLoad** yes

**NeedsCompilation** yes

**OS\_type** unix

**RoxygenNote** 7.3.3

**Config/testthat/edition** 3

**Repository** CRAN

**Date/Publication** 2026-03-20 06:10:02 UTC

## Contents

tgs_cor . . . . .	2
tgs_dist . . . . .	4
tgs_finite . . . . .	5
tgs_graph . . . . .	6
tgs_graph_cover . . . . .	7
tgs_graph_cover_resample . . . . .	8
tgs_knn . . . . .	10
tgs_matrix_tapply . . . . .	11

<b>Index</b>	<b>12</b>
--------------	-----------

---

tgs_cor	<i>Calculates correlation or auto-correlation</i>
---------	---

---

### Description

Calculates correlation between two matrices columns or auto-correlation between a matrix columns.

### Usage

```
tgs_cor(
  x,
  y = NULL,
  pairwise.complete.obs = FALSE,
  spearman = FALSE,
  tidy = FALSE,
  threshold = 0
)
```

```
tgs_cor_knn(
  x,
  y,
  knn,
  pairwise.complete.obs = FALSE,
  spearman = FALSE,
  threshold = 0
)
```

### Arguments

x	numeric matrix
y	numeric matrix
pairwise.complete.obs	see below
spearman	if 'TRUE' Spearman correlation is computed, otherwise Pearson

tidy	if 'TRUE' data is outputted in tidy format
threshold	absolute threshold above which values are outputted in tidy format
knn	the number of highest correlations returned per column

## Details

'tgs\_cor' is very similar to 'stats::cor'. Unlike the latter it uses all available CPU cores to compute the correlation in a much faster way. The basic implementation of 'pairwise.complete.obs' is also more efficient giving overall great run-time advantage.

Unlike 'stats::cor' 'tgs\_cor' implements only two modes of treating data containing NA, which are equivalent to 'use="everything"' and 'use="pairwise.complete.obs"'. Please refer the documentation of this function for more details.

'tgs\_cor(x, y, spearman = FALSE)' is equivalent to 'cor(x, y, method = "pearson")' 'tgs\_cor(x, y, spearman = TRUE)' is equivalent to 'cor(x, y, method = "spearman")' 'tgs\_cor(x, y, pairwise.complete.obs = TRUE, spearman = TRUE)' is equivalent to 'cor(x, y, use = "pairwise.complete.obs", method = "spearman")' 'tgs\_cor(x, y, pairwise.complete.obs = TRUE, spearman = FALSE)' is equivalent to 'cor(x, y, use = "pairwise.complete.obs", method = "pearson")'

'tgs\_cor' can output its result in "tidy" format: a data frame with three columns named 'col1', 'col2' and 'cor'. Only the correlation values which abs are equal or above the 'threshold' are reported. For auto-correlation (i.e. when 'y=NULL') a pair of columns numbered X and Y is reported only if  $X < Y$ .

'tgs\_cor\_knn' works similarly to 'tgs\_cor'. Unlike the latter it returns only the highest 'knn' correlations for each column in 'x'. The result of 'tgs\_cor\_knn' is always outputted in "tidy" format.

One of the reasons to opt 'tgs\_cor\_knn' over a pair of calls to 'tgs\_cor' and 'tgs\_knn' is the reduced memory consumption of the former. For auto-correlation case (i.e. 'y=NULL') given that the number of columns NC exceeds the number of rows NR, then 'tgs\_cor' memory consumption becomes a factor of  $NC \times NC$ . In contrast 'tgs\_cor\_knn' would consume in the similar scenario a factor of  $\max(NC \times NR, NC \times KNN)$ . Similarly 'tgs\_cor(x,y)' would consume memory as a factor of  $NCX \times NCY$ , wherever 'tgs\_cor\_knn(x,y,knn)' would reduce that to  $\max((NCX + NCY) \times NR, NCX \times KNN)$ .

## Value

'tgs\_cor\_knn' or 'tgs\_cor' with 'tidy=TRUE' return a data frame, where each row represents correlation between two pairs of columns from 'x' and 'y' (or two columns of 'x' itself if 'y=NULL'). 'tgs\_cor' with the 'tidy=FALSE' returns a matrix of correlation values, where  $val[X, Y]$  represents the correlation between columns X and Y of the input matrices (if 'y' is not 'NULL') or the correlation between columns X and Y of 'x' (if 'y' is 'NULL').

## Examples

```
# Note: all the available CPU cores might be used

set.seed(seed = 0)
rows <- 100
cols <- 1000
vals <- sample(1:(rows * cols / 2), rows * cols, replace = TRUE)
m <- matrix(vals, nrow = rows, ncol = cols)
m[sample(1:(rows * cols), rows * cols / 1000)] <- NA
```

```
r1 <- tgs_cor(m, spearman = FALSE)
r2 <- tgs_cor(m, pairwise.complete.obs = TRUE, spearman = TRUE)
r3 <- tgs_cor_knn(m, NULL, 5, spearman = FALSE)
```

---

tgs_dist	<i>Calculates distances between the matrix rows</i>
----------	---

---

### Description

Calculates distances between the matrix rows.

### Usage

```
tgs_dist(x, diag = FALSE, upper = FALSE, tidy = FALSE, threshold = Inf)
```

### Arguments

x	numeric matrix
diag	see 'dist' documentation
upper	see 'dist' documentation
tidy	if 'TRUE' data is outputted in tidy format
threshold	threshold below which values are outputted in tidy format

### Details

This function is very similar to 'package:stats::dist'. Unlike the latter it uses all available CPU cores to compute the distances in a much faster way.

Unlike 'package:stats::dist' 'tgs\_dist' uses always "euclidean" metrics (see 'method' parameter of 'dist' function). Thus:

```
'tgs_dist(x)' is equivalent to 'dist(x, method = "euclidean)'
```

'tgs\_dist' can output its result in "tidy" format: a data frame with three columns named 'row1', 'row2' and 'dist'. Only the distances that are less or equal than the 'threshold' are reported. Distance between row number X and Y is reported only if X < Y. 'diag' and 'upper' parameters are ignored when the result is returned in "tidy" format.

### Value

If 'tidy' is 'FALSE' - the output is similar to that of 'dist' function. If 'tidy' is 'TRUE' - 'tgs\_dist' returns a data frame, where each row represents distances between two pairs of original rows.

**Examples**

```
# Note: all the available CPU cores might be used

set.seed(seed = 0)
rows <- 100
cols <- 1000
vals <- sample(1:(rows * cols / 2), rows * cols, replace = TRUE)
m <- matrix(vals, nrow = rows, ncol = cols)
m[sample(1:(rows * cols), rows * cols / 1000)] <- NA
r <- tgs_dist(m)
```

---

**tgs\_finite***Checks whether all the elements of the vector are finite*

---

**Description**

Checks whether all the elements of the vector are finite.

**Usage**

```
tgs_finite(x)
```

**Arguments**

x                    numeric or integer vector or matrix

**Details**

'tgs\_finite' returns 'TRUE' if all the elements of 'x' are finite numbers. (See: 'is.finite'.)

**Value**

'TRUE' if all the elements of 'x' are finite, otherwise 'FALSE'.

**Examples**

```
tgs_finite(1:10)
tgs_finite(c(1:10, NaN))
tgs_finite(c(1:10, Inf))
```

---

tgs\_graph

*Builds directed graph of correlations*


---

### Description

Builds directed graph of correlations where the nodes are the matrix columns.

### Usage

```
tgs_graph(x, knn, k_expand, k_beta = 3)
```

### Arguments

x	see below
knn	maximal node degree
k_expand	see below
k_beta	see below

### Details

This function builds a directed graph based on the edges in 'x' and their ranks.

'x' is a data frame containing 4 columns named: 'col1', 'col2', 'val', 'rank'. The third column ('val' can have a different name). The result in the compatible format is returned, for example, by 'tgs\_knn' function.

'tgs\_graph' prunes some of the edges in 'x' based on the following steps:

1. A pair of columns i, j that appears in 'x' in 'col1', 'col2' implies the edge in the graph from i to j: edge(i,j). Let the rank of i and j be rank(i,j).
2. Calculate symmetrised rank of i and j:  $\text{sym\_rank}(i,j) = \text{rank}(i,j) * \text{rank}(j,i)$ . If one of the ranks is missing from the previous result sym\_rank is set to NA.
3. Prune the edges: remove edge(i,j) if  $\text{sym\_rank}(i,j) == \text{NA}$  OR  $\text{sym\_rank}(i,j) < \text{knn} * \text{knn} * \text{k\_expand}$
4. Prune excessive incoming edges: remove edge(i,j) if more than  $\text{knn} * \text{k\_beta}$  edges of type edge(node,j) exist and  $\text{sym\_rank}(i,j)$  is higher than  $\text{sym\_rank}(\text{node},j)$  for node != j.
5. Prune excessive outgoing edges: remove edge(i,j) if more than knn edges of type edge(i,node) exist and  $\text{sym\_rank}(i,j)$  is higher than  $\text{sym\_rank}(i,\text{node})$  for node != i.

### Value

The graph edges are returned in a data frame, with the weight of each edge. edge(i,j) receives weight 1 if its sym\_rank is the lowest among all edges of type edge(i,node). Formally defined:  $\text{weight}(i,j) = 1 - (\text{place}(i,j) - 1) / \text{knn}$ , where place(i,j) is the location of edge(i,j) within the sorted set of edges outgoing from i, i.e. edge(i,node). The sort is done by sym\_rank of the edges.

## Examples

```
# Note: all the available CPU cores might be used

set.seed(seed = 1)
rows <- 100
cols <- 1000
vals <- sample(1:(rows * cols / 2), rows * cols, replace = TRUE)
m <- matrix(vals, nrow = rows, ncol = cols)
m[sample(1:(rows * cols), rows * cols / 1000)] <- NA

r1 <- tgs_cor(m, pairwise.complete.obs = FALSE, spearman = TRUE)
r2 <- tgs_knn(r1, knn = 30, diag = FALSE)
r3 <- tgs_graph(r2, knn = 3, k_expand = 10)
```

---

tgs_graph_cover	<i>Clusters directed graph</i>
-----------------	--------------------------------

---

## Description

Clusters directed graph.

## Usage

```
tgs_graph_cover(graph, min_cluster_size, cooling = 1.05, burn_in = 10)
```

## Arguments

graph	directed graph in the format returned by tgs_graph
min_cluster_size	used to determine the candidates for seeding (= min weight)
cooling	factor that is used to gradually increase the chance of a node to stay in the cluster
burn_in	number of node reassignments after which cooling is applied

## Details

The algorithm is explained in a "MetaCell: analysis of single-cell RNA-seq data using K-nn graph partitions" paper, published in "Genome Biology" #20: <https://genomebiology.biomedcentral.com/articles/10.1186/s13059-019-1812-2>

## Value

Data frame that maps each node to its cluster.

**See Also**[tgs\\_graph\(\)](#)**Examples**

```
# Note: all the available CPU cores might be used

set.seed(seed = 0)
rows <- 100
cols <- 1000
vals <- sample(1:(rows * cols / 2), rows * cols, replace = TRUE)
m <- matrix(vals, nrow = rows, ncol = cols)
m[sample(1:(rows * cols), rows * cols / 1000)] <- NA

r1 <- tgs_cor(m, pairwise.complete.obs = FALSE, spearman = TRUE)
r2 <- tgs_knn(r1, knn = 30, diag = FALSE)
r3 <- tgs_graph(r2, knn = 3, k_expand = 10)
r4 <- tgs_graph_cover(r3, 5)
```

---

`tgs_graph_cover_resample`*Clusters directed graph multiple times with randomized sample subset*

---

**Description**

Clusters directed graph multiple times with randomized sample subset.

**Usage**

```
tgs_graph_cover_resample(  
  graph,  
  knn,  
  min_cluster_size,  
  cooling = 1.05,  
  burn_in = 10,  
  p_resamp = 0.75,  
  n_resamp = 500,  
  method = "hash"  
)
```

**Arguments**

<code>graph</code>	directed graph in the format returned by <code>tgs_graph</code>
<code>knn</code>	maximal number of edges used per node for each sample subset



min_cluster_size	used to determine the candidates for seeding (= min weight)
cooling	factor that is used to gradually increase the chance of a node to stay in the cluster
burn_in	number of node reassignments after which cooling is applied
p_resamp	fraction of total number of nodes used in each sample subset
n_resamp	number iterations the clustering is run on different sample subsets
method	method for calculating co_cluster and co_sample; valid values: "hash", "full", "edges"

### Details

The algorithm is explained in a "MetaCell: analysis of single-cell RNA-seq data using K-nn graph partitions" paper, published in "Genome Biology" #20: <https://genomebiology.biomedcentral.com/articles/10.1186/s13059-019-1812-2>

### Value

If method == "hash", a list with two members. The first member is a data frame with 3 columns: "node1", "node2" and "cnt". "cnt" indicates the number of times "node1" and "node2" appeared in the same cluster. The second member of the list is a vector of **number of nodes** length reflecting how many times each node was used in the subset.

If method == "full", a list containing two matrices: co\_cluster and co\_sample.

If method == "edges", a list containing two data frames: co\_cluster and co\_sample.

### See Also

[tgs\\_graph\(\)](#)

### Examples

```
# Note: all the available CPU cores might be used

set.seed(seed = 0)
rows <- 100
cols <- 200
vals <- sample(1:(rows * cols / 2), rows * cols, replace = TRUE)
m <- matrix(vals, nrow = rows, ncol = cols)

r1 <- tgs_cor(m, pairwise.complete.obs = FALSE, spearman = TRUE)
r2 <- tgs_knn(r1, knn = 20, diag = FALSE)
r3 <- tgs_graph(r2, knn = 3, k_expand = 10)
r4 <- tgs_graph_cover_resample(r3, 10, 1)
```

---

tgs_knn	Returns <i>k</i> highest values of each column
---------	--

---

## Description

Returns *k* highest values of each column.

## Usage

```
tgs_knn(x, knn, diag = FALSE, threshold = 0)
```

## Arguments

<code>x</code>	numeric matrix or data frame (see below)
<code>knn</code>	the number of highest values returned per column
<code>diag</code>	if 'F' values of row 'i' and col 'j' are skipped for each $i == j$
<code>threshold</code>	filter out values lower than threshold

## Details

'tgs\_knn' returns the highest 'knn' values of each column of 'x' (if 'x' is a matrix). 'x' can be also a sparse matrix given in a data frame of 'col', 'row', 'value' format.

'NA' and 'Inf' values are skipped as well as the values below 'threshold'. If 'diag' is 'F' values of the diagonal (row == col) are skipped too.

## Value

A sparse matrix in a data frame format with 'col1', 'col2', 'val' and 'rank' columns. 'col1' and 'col2' represent the column and the row number of 'x'.

## Examples

```
# Note: all the available CPU cores might be used

set.seed(seed = 1)
rows <- 100
cols <- 1000
vals <- sample(1:(rows * cols / 2), rows * cols, replace = TRUE)
m <- matrix(vals, nrow = rows, ncol = cols)
m[sample(1:(rows * cols), rows * cols / 1000)] <- NA
r <- tgs_knn(m, 3)
```

---

tgs\_matrix\_tapply      *For each matrix row apply a function over a ragged array*

---

### Description

For each matrix row apply a function to each cell of a ragged array, that is to each (non-empty) group of values given by a unique combination of the levels of certain factors.

### Usage

```
tgs_matrix_tapply(x, index, fun, ...)
```

### Arguments

x	a matrix or a sparse matrix of 'dgCMatrix' type
index	a 'list' of one or more 'factor's, each of same length as the number of columns in 'x'. The elements are coerced to factors by 'as.factor'.
fun	the function to be applied
...	optional arguments to 'fun'

### Details

'tgs\_matrix\_tapply(x, index, fun)' is essentially an efficient implementation of 'apply(mat, 1, function(x) tapply(x, index, fun))'.

### Value

A matrix of length(index) X nrow(x) size. Each [i, j] element represents the result of applying 'fun' to x[i, which(index==levels(index)[j])].

Note that the return value is a dense matrix even when x is sparse.

### Examples

```
# Note: all the available CPU cores might be used

set.seed(seed = 1)
nr <- 6
nc <- 10
mat <- matrix(sample(c(rep(0, 6), 1:3), nr * nc, replace = TRUE), nrow = nr, ncol = nc)
index <- factor(rep_len(1:3, ncol(mat)), levels = 0:5)
r1 <- apply(mat, 1, function(x) tapply(x, index, sum))
r2 <- tgs_matrix_tapply(mat, index, sum)
```

# Index

- \* **~apply**
  - tgs\_matrix\_tapply, 11
- \* **~cluster**
  - tgs\_graph\_cover, 7
  - tgs\_graph\_cover\_resample, 8
- \* **~correlation**
  - tgs\_cor, 2
- \* **~distance**
  - tgs\_dist, 4
- \* **~finite**
  - tgs\_finite, 5
- \* **~graph**
  - tgs\_graph, 6
- \* **~knn**
  - tgs\_knn, 10
- \* **~tapply**
  - tgs\_matrix\_tapply, 11

tgs\_cor, 2  
tgs\_cor\_knn(tgs\_cor), 2  
tgs\_dist, 4  
tgs\_finite, 5  
tgs\_graph, 6  
tgs\_graph(), 8, 9  
tgs\_graph\_cover, 7  
tgs\_graph\_cover\_resample, 8  
tgs\_knn, 10  
tgs\_matrix\_tapply, 11